

DATASHEET HYGENA Plain



HYGENA Plain offers a white, smooth surface that creates an elegant ceiling appearance and provides excellent light reflection. The surface is washable and anti-microbial.

- Limits the growth of bacteria and fungi
- Cleanable with dry and damp cloth
- White, smooth surface that provides excellent light reflection
- Complies with Zone 4 risk requirements according to NF S 90-351:2013
- Ideal for healthcare environments and laboratories

DATASHEET HYGENA Plain



Edge details	Boar	-d	Tegular 24			Tegular 15				
	1 24	124		□ □ 24			15			
Thickness (mm)	15	15		15		15				
Dimensions (mm)	610 x 1200 x	600 x 600 610 x 610 1200 x 600 1220 x 610				600 x 600				
System	Exposed demount	Exposed demountable - System C								
Weight	3.8 kg / m ²	$3.8 \text{ kg} / \text{m}^2$								
Colour	White									
Sound absorption	EN ISO 354		a _w = 0.20 (L)			as per EN ISO 11654 - Class E				
	Frequency f (Hz)	Frequency f (Hz)		250	500	1000	2000	4000		
	$\alpha_{\scriptscriptstyle P}$		0.45	0.25	0.15	0.15	0.20	0.25		
	NRC = 0.20 as pe	er ASTM C 423								
Sound attenuation		EN ISO 10848-2 D _{n,f,w} = 34 dB as per EN ISO 717-1 CAC = 36 dB as per ASTM E 413-10								
Sound reduction	EN ISO 10140-2 R _w = 21 dB as per	EN ISO 10140-2 R _w = 21 dB as per EN ISO 717-1								
Fire reaction		Euroclass A2-s1, d0 as per EN 13501-1 Class A as per ASTM E 84								
Light reflectance	87%	87%								
Thermal conductivity	λ = 0.060 W/ m	$\lambda = 0.060 \text{ W/mk}$ as per EN 12667								
Air permeability	PM1 (≤ 30 m³/hr	PM1 (≤ 30 m³/hm²) as per DIN 18177								
Humidity resistance	95% RH	95% RH								
Clean room	ISO 4 as per EN I	ISO 4 as per EN ISO 14644-1								
Risk level	Zone 4 (Very Hig	Zone 4 (Very High Risk) as per NF S 90-351:2013								
Microbiological Cleanliness	M1 as per NF S 9	M1 as per NF S 90-351:2013								
Kinetics of particle decontamination	CP _(0,5) 5 as per NF	CP_(0,5)5 as per NF S 90-351:2013								
Indoor air quality	MADE BY									
Cleanability	P									
Anti-microbial characteristics	Tested against: Esc	Tested against: Escherichia coli, Staphylococcus aureus, Candida albicans, Aspergillus niger								
Sustainability	EN 150 14021 EC 1272/2008	J. WOOL								

Product availability may vary from country to country. Please contact your local sales representative. For further information and legal notice, please visit our website.